

Author Index,¹ 1990

The Telecommunications and Data Acquisition Progress Report

42-101, January–March, May 15, 1990

42-102, April–June, August 15, 1990

42-103, July–September, November 15, 1990

42-104, October–December, February 15, 1991

Alvarez, L. S.

- 42-104 An Analysis of the Least-Squares Problem for the DSN Systematic Pointing Error Model, pp. 17–29.

Arnold, E. S.

- 42-104 Emerging Standards for Still Image Compression: A Software Implementation and Simulation Study, pp. 98–102.

See Pollara, F.

- 42-104 Frame Synchronization for the Galileo Code, pp. 211–218.

L. Swanson

- 42-104 Compressed/Reconstructed Test Images for CRAF/Cassini, pp. 88–97.

See Dolinar, S. J.

Bartos, K. P.

- 42-102 Interagency Telemetry Arraying for Voyager–Neptune Encounter, pp. 91–118.

See Brown, D. W.

Bassiri, S.

- 42-103 Three-Frequency Ranging Systems and Their Applications to Ionospheric Delay Calibration, pp. 14–20.

Batchelder, M. P.

- 42-103 Earth-Based Ranging Measurements to a Planetary Radio Beacon: An Approximate Analytic Formulation, pp. 70–86.

See Estefan, J. A.

Bathker, D.

- 42-101 Design and Performance Analysis of the DSS-13 Beam Waveguide Antenna, pp. 99–113

See Veruttipong, W.

Bevan, R.

- 42-104 The Advanced Receiver II: Telemetry Test Results in CTA 21, pp. 140–156.

See Hinedi, S.

Beyer, P. E.

- 42-103 Galileo Array Study Team Report, pp. 161–169.

See Layland, J. W.

¹ In the case of joint authorship, the reader is referred to the citation under the first author, where all the authors of the article are listed.

- Biraud, F.**
- 42-102 Technical Considerations on Using the Large Nançay Radio Telescope for SETI, pp. 152–160.
See Gulkis, S.
- Bishop, D. F.**
- 42-104 New Space Research Frequency Band Proposals in the 20–40.5 GHz Range, pp. 235–246.
- Blasenheimer, B. J.**
- 42-101 A Study of the Influence of Hg (6^3P_2) Population in a Low-Pressure Discharge on Mercury Ion Emission at 194.2 nm, pp. 61–72.
See Maleki, L.
- Brown, D. W.**
- 42-102 Interagency Telemetry Arraying for Voyager–Neptune Encounter, pp. 91–118.
W. D. Brundage, J. S. Ulvestad, S. S. Kent, and K. P. Bartos
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Brundage, W. D.**
- 42-102 Interagency Telemetry Arraying for Voyager–Neptune Encounter, pp. 91–118.
See Brown, D. W.
- Brunzie, T. J.**
- 42-102 The Parkes Front-End Controller and Noise-Adding Radiometer, pp. 119–138.
- Buchanan, H. R.**
- 42-101 Long-Range Planning Cost Model for Support of Future Space Missions by the Deep Space Network, pp. 179–190.
See Sherif, J. S.
- 42-103 Deep Space Network Maintenance Cost Compared to Other Industries and Organizations, pp. 252–261.
See Remer, D. S.
- Burt, R. W.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Carrell, E. A.**
- 42-103 Development of an Improved Analytic Model for the NASA/JPL 70-Meter Antenna Hydraulic Servovalve, pp. 244–251.
R. E. Hill
- Chen, C.-C.**
- 42-104 Steady-State Phase Error for a Phase-Locked Loop Subjected to Periodic Doppler Inputs, pp. 68–73.
M. Z. Win
- Chen, J. C.**
- 42-104 Analysis of a Thick Dichroic Plate With Rectangular Holes at Arbitrary Angles of Incidence, pp. 9–16.
- Cheung, K.-M.**
- 42-102 A High-Speed Distortionless Predictive Image-Compression Scheme, pp. 73–90.
P. Smyth and H. Wang
- 42-103 A Node and Frame Synchronization Scheme in the Big Viterbi Decoder Based on Channel Symbol Measurements, pp. 203–214.
J. I. Statman
- 42-104 Compressed/Reconstructed Test Images for CRAF/Cassini, pp. 88–97.
See Dolinar, S. J.
- Chodas, P. W.**
- 42-103 Optical Self-Crossing Measurements for Ida Ephemeris Improvement, pp. 87–96.
See Null, G. W.

Clymer, B. D.	
42-103	Active Optics for a Segmented Primary Mirror on a Deep-Space Optical Receiver Antenna (DSORA), pp. 128–134.
42-103	Reflected Sunlight Reduction and Characterization for a Deep-Space Optical Receiver Antenna (DSORA), pp. 110–117.
Cowles, K. A.	
42-102	Site Comparison for Optical Visibility Statistics in Southern Arizona, pp. 57–61.
42-104	Site Comparison for Optical Visibility Statistics in Southern California, pp.
Cramer, P. W.	
42-104	Initial Studies of Array Feeds for the 70-Meter Antenna at 32 GHz, pp. 50–67.
Deutsch, L. J.	
42-103	A Plan for the Development and Demonstration of Optical Communications for Deep Space, pp. 97–109.
	See Lesh, J. R.
Dick, G. J.	
42-103	Ultrastable Performance of the Superconducting Cavity Maser Oscillator at Short Measuring Times, pp. 21–26.
	See Wang, R. T.
Djomehri, J.	
42-102	Computer Simulations of Ions in Radio Frequency Traps, pp. 10–26.
	See Williams, A.
Dolinar, S. J.	
42-102	The Theoretical Limits of Source and Channel Coding, pp. 62–72.
	F. Pollara
42-104	Compressed/Reconstructed Test Images for CRAF/Cassini, pp. 88–97.
	K.-M. Cheung, I. Onyszchuk, F. Pollara, and S. Arnold
42-104	Maximum-Entropy Probability Distributions Under L_p -Norm Constraints, pp. 74–87.
Edwards, C. D.	
42-101	Goldstone Intracomplex Connected Element Interferometry, pp. 1–12.
Eldred, D. B.	
42-101	Application of Inertial Instruments for DSN Antenna Pointing and Tracking, pp. 73–98.
	N. M. Nerheim and K. G. Holmes
Estefan, J. A.	
42-103	Earth-Based Ranging Measurements to a Planetary Radio Beacon: An Approximate Analytic Formulation, pp. 70–86.
	S. W. Thurman and M. P. Batchelder
Finger, M. H.	
42-101	Preliminary Error Budget for an Optical Ranging System: Range, Range Rate, and Differenced Range Observables, pp. 121–135.
	See Folkner, W. M.
Folkner, W. M.	
42-101	Preliminary Error Budget for an Optical Ranging System: Range, Range Rate, and Differenced Range Observables, pp. 121–135.
	M. H. Finger
42-102	Navigational Utility of High-Precision Radio Interferometry for Galileo's Approach to Jupiter, pp. 34–46.
Franco, M. M.	
42-103	A Portable X-Band Front-End Test Package for Beam-Waveguide Antenna Performance Evaluation Part I: Design and Ground Tests, pp. 135–150.
	See Otoshi, T. Y.

Gawronski, W.		42-103	A Comparison of Open-Loop Suppressed-Carrier Acquisition Techniques, pp. 170–188.
42-104	Predictive Control and Estimation Algorithms for the NASA/JPL 70-Meter Antennas, pp. 30–49.		See Shah, B.
Goldstein, R.		42-104	The Advanced Receiver II: Telemetry Test Results in CTA 21, pp. 140–156.
42-101	Rings of Earth Detected by Orbital Debris Radar, pp. 191–195.		R. Bevan and M. Marina
	L. Randolph	42-104	Overview of Arraying Techniques in the Deep Space Network, pp. 109–139.
Gulkis, S.			See Mileant, A.
42-102	Technical Considerations on Using the Large Nançay Radio Telescope for SETI, pp. 152–160.		
	F. Biraud, J. Heidmann, and J. Tarter	Hodges, R. E.	
Gutierrez-Luaces, B. O.		42-102	Linear-Phase Approximation in the Triangular Facet Near-Field Physical Optics Computer Program, pp. 47–56.
42-104	Digital Test Signal Generation: An Accurate SNR Calibration Approach for the DSN, pp. 161–174.		See Imbriale, W. A.
Harabedian, E.		Holmes, J. K.	
42-102	Computer Simulations of Ions in Radio Frequency Traps, pp. 10–26.	42-104	A Comparison of Manchester Symbol Tracking Loops for Block V Applications, pp. 175–191.
	See Williams, A.	42-104	Open-Loop Frequency Acquisition Suppressed-Carrier Biphase Signals Using One-Pole Arm Filters, pp. 192–210.
Heidmann, J.			See Shah, B.
42-102	Technical Considerations on Using the Large Nançay Radio Telescope for SETI, pp. 152–160.	Holmes, K. G.	
	See Gulkis, S.	42-101	Application of Inertial Instruments for DSN Antenna Pointing and Tracking, pp. 73–98.
Hill, R. E.			See Eldred, D. H.
42-103	Development of an Improved Analytic Model for the NASA/JPL 70-Meter Antenna Hydraulic Servovalve, pp. 244–251.	Imbriale, W. A.	
	See Carrell, E. A.	42-101	Design and Performance Analysis of the DSS-13 Beam Waveguide Antenna, pp. 99–113
Hinedi, S.			See Veruttipong, W.
42-101	QPSK Loop Lock Detection in the Advanced Receiver, pp. 164–178	42-102	Linear-Phase Approximation in the Triangular Facet Near-Field Physical Optics Computer Program, pp. 47–56.
	See Mileant, A.		R. E. Hodges

- Janik, G. R.**
- 42-101 A Study of the Influence of Hg (6^3P_2) Population in a Low-Pressure Discharge on Mercury Ion Emission at 194.2 nm, pp. 61–72.
See Maleki, L.
- Katow, M. S.**
- 42-101 DSS 15, 45, and 65 34-Meter High-Efficiency Antenna Radio Frequency Performance Enhancement by Tilt Added to the Subreflector During Elevation Angle Changes, pp. 152–163.
- Kent, S. S.**
- 42-102 Interagency Telemetry Arraying for Voyager-Neptune Encounter, pp. 91–118.
See Brown, D. W.
- Kermode, A. W.**
- 42-104 Design Concepts and Performance of NASA X-Band (7162-MHz/8415-MHz) Transponder for Deep-Space Spacecraft Applications, pp. 247–256.
See Mysoor, N. R.
- LaBelle, R. C.**
- 42-103 An IF-to-Digital Converter for the Advanced Receiver II (ARX II), pp. 215–243.
- Layland, J. W.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
F. D. McLaughlin, P. E. Beyer, D. J. Mudgway, D. W. Brown, R. W. Burt, R. J. Wallace, J. M. Ludwinski, B. D. Madsen, J. C. McKinney, N. A. Renzetti, and J. S. Ulvestad
- Lesh, J. R.**
- 42-103 A Plan for the Development and Demonstration of Optical Communications for Deep Space, pp. 97–109.
L. J. Deutsch and W. J. Weber
- 42-103 GOPEX: A Deep-Space Optical Communications Demonstration With the Galileo Spacecraft, pp. 262–277.
See Wilson, K. E.
- Lichten, S. M.**
- 42-104 Demonstration of Precise Estimation of Polar Motion Parameters With the Global Positioning System: Initial Results, pp. 1–8.
- Linfield, R. P.**
- 42-103 Using Planetary Occultations of Radio Sources for Frame-Tie Measurements Part I: Motivation and Search for Events, pp. 1–13.
- Logan, R. T., Jr.**
- 42-102 Design of a Fiber-Optic Transmitter for Microwave Analog Transmission With High Phase Stability, pp. 27–33.
G. F. Lutes, L. E. Primas, and L. Maleki
- Ludwinski, J. M.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Lutes, G. F.**
- 42-102 Design of a Fiber-Optic Transmitter for Microwave Analog Transmission With High Phase Stability, pp. 27–33.
See Logan, R. T., Jr.
- Madsen, B. D.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Maleki, L.**
- 42-101 Inhomogeneous Electric Field Effects in a Linear RF Quadrupole Trap, pp. 51–60.
See Melbourne, R. K.

- 42-101 A Study of the Influence of Hg (6^3P_2) Population in a Low-Pressure Discharge on Mercury Ion Emission at 194.2 nm, pp. 61–72.
B. J. Blasenheim and G. R. Janik
- 42-102 Computer Simulations of Ions in Radio Frequency Traps, pp. 10–26.
See Williams, A.
- 42-102 Design of a Fiber-Optic Transmitter for Microwave Analog Transmission With High Phase Stability, pp. 27–33.
See Logan, R. T., Jr.
- Malla , R. P.**
- 42-102 The First Geocenter Estimation Results Using GPS Measurements, pp. 1–9.
S. C. Wu
- Marina, M.**
- 42-104 The Advanced Receiver II: Telemetry Test Results in CTA 21, pp. 140–156.
See Hinedi, S.
- McKinney, J. C.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- McLaughlin, F. D.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Melbourne, R. K.**
- 42-101 Inhomogeneous Electric Field Effects in a Linear RF Quadrupole Trap, pp. 51–60.
J. D. Prestage and L. Maleki
- Mellstrom, J.**
- 42-101 Initial Results on Fault Diagnosis of DSN Antenna Control Assemblies Using Pattern Recognition Techniques, pp. 136–151.
See Smyth, P.
- Mileant, A.**
- 42-101 QPSK Loop Lock Detection in the Advanced Receiver, pp. 164–178
S. Hinedi
- 42-104 Overview of Arraying Techniques in the Deep Space Network, pp. 109–139.
S. Hinedi
- Mudgway, D. J.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Mysoor, N. R.**
- 42-104 Design Concepts and Performance of NASA X-Band (7162-MHz/8415-MHz) Transponder for Deep-Space Spacecraft Applications, pp. 247–256.
J. D. Perret and A. W. Kermode
- Nerheim, N. M.**
- 42-101 Application of Inertial Instruments for DSN Antenna Pointing and Tracking, pp. 73–98.
See Eldred, D. H.
- Nguyen, T. M.**
- 42-102 The Impact of NRZ Data Asymmetry on the Performance of a Space Telemetry System, pp. 139–151.
- 42-103 A Computational Technique for the Means and Variances of Modulation Losses, pp. 189–202.
- Null, G. W.**
- 42-103 Optical Self-Crossing Measurements for Ida Ephemeris Improvement, pp. 87–96.
P. W. Chodas
- Onyszchuk, I.**
- 42-104 Compressed/Reconstructed Test Images for CRAF/Cassini, pp. 88–97.
See Dolinar, S. J.

- Otoshi, T. Y.**
- 42-103 A Portable X-Band Front-End Test Package for Beam-Waveguide Antenna Performance Evaluation Part I: Design and Ground Tests, pp. 135–150.
S. R. Stewart and M. M. Franco
- Perret, J. D.**
- 42-104 Design Concepts and Performance of NASA X-Band (7162-MHz/8415-MHz) Transponder for Deep-Space Spacecraft Applications, pp. 247–256.
See Mysoor, N. R.
- Pollara, F.**
- 42-102 The Theoretical Limits of Source and Channel Coding, pp. 62–72.
See Dolinar, S. J.
- 42-104 Compressed/Reconstructed Test Images for CRAF/Cassini, pp. 88–97.
See Dolinar, S. J.
- 42-104 Emerging Standards for Still Image Compression: A Software Implementation and Simulation Study, pp. 98–102.
E. S. Arnold
- Rabkin, J.**
- 42-103 Node and Frame Synchronization in the Big Viterbi Decoder, pp. 154–160.
See Statman, J. L.
- Randolph, L.**
- 42-101 Rings of Earth Detected by Orbital Debris Radar, pp. 191–195.
See Goldstein, R.
- Rauch, L. L.**
- 42-104 On Estimating the Phase of a Periodic Waveform in Additive Gaussian Noise—Part III, pp. 157–160.
- Rayman, M. D.**
- 42-103 GOPEX: A Deep-Space Optical Communications Demonstration With the Galileo Spacecraft, pp. 262–277.
See Wilson, K. E.
- 42-103 Selection and Observability Tests of GOPEX Reference Stars, pp. 278–283.
- Remer, D. S.**
- 42-101 Long-Range Planning Cost Model for Support of Future Space Missions by the Deep Space Network, pp. 179–190.
See Sherif, J. S.
- 42-103 Deep Space Network Maintenance Cost Compared to Other Industries and Organizations, pp. 252–261.
J. S. Sherif and H. R. Buchanan
- Primas, L. E.**
- 42-102 Design of a Fiber-Optic Transmitter for Microwave Analog Signal Transmission With High Phase Stability, pp. 27–33.
See Logan, R. T., Jr.
- Renzetti, N. A.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.

Sadr, R.		Siev, B.	
42-104	Planetary Ephemerides Approximation for Radar Astronomy, pp. 219–234. M. Shahshahani	42-103	Node and Frame Synchronization in the Big Viterbi Decoder, pp. 154–160. See Statman, J. L.
Schwartz, J.		Smyth, P.	
42-103	GOPEX: A Deep-Space Optical Communications Demonstration With the Galileo Spacecraft, pp. 262–277. See Wilson, K. E.	42-101	Initial Results on Fault Diagnosis of DSN Antenna Control Assemblies Using Pattern Recognition Techniques, pp. 136–151. J. Mellstrom
Shah, B.		42-102	A High-Speed Distortionless Predictive Image-Compression Scheme, pp. 73–90. See Cheung, K.-M.
42-103	A Comparison of Open-Loop Suppressed-Carrier Acquisition Techniques, pp. 170–188. S. Hinedi	42-103	Generation of Maximum Distance Separable Codes, pp. 151–153.
42-104	Open-Loop Frequency Acquisition Suppressed-Carrier Biphase Signals Using One-Pole Arm Filters, pp. 192–210. J. K. Holmes	Solomon, G.	
Shahshahani, M.		Statman, J. I.	
42-104	Algebraic Geometric Codes, pp. 103–108.	42-103	Node and Frame Synchronization in the Big Viterbi Decoder, pp. 154–160. B. Siev and J. Rabkin
42-104	Planetary Ephemerides Approximation for Radar Astronomy, pp. 219–234. See Sadr, R.	42-103	A Node and Frame Synchronization Scheme in the Big Viterbi Decoder Based on Channel Symbol Measurements, pp. 203–214. See Cheung, K.-M.
Shaik, K.		Stewart, S. R.	
42-101	A Two-Telescope Receiver Design for Deep Space Optical Communications, pp. 114–120.	42-103	A Portable X-Band Front-End Test Package for Beam-Waveguide Antenna Performance Evaluation Part I: Design and Ground Tests, pp. 135–150. See Otoshi, T. Y.
42-103	Parameter Uncertainties for a 10-Meter Ground-Based Optical Reception Station, pp. 118–127.	Swanson, L.	
Sherif, J. S.		42-104	Frame Synchronization for the Galileo Code, pp. 211–218. See Arnold, E. S.
42-101	Long-Range Planning Cost Model for Support of Future Space Missions by the Deep Space Network, pp. 179–190. D. S. Remer and H. R. Buchanan		
42-103	Deep Space Network Maintenance Cost Compared to Other Industries and Organizations, pp. 252–261. See Remer, D. S.		

- Tarter, J.**
- 42-102 Technical Considerations on Using the Large Nançay Radio Telescope for SETI, pp. 152–160.
See Gulkis, S.
- Thornton, C. L.**
- 42-101 A Reduced-Dynamic Technique for Precise Orbit Determination, pp. 13–25.
See Wu, S. C.
- Thurman, S. W.**
- 42-101 Applications of Different Design Methodologies in Navigation Systems and Development at JPL, pp. 39–50.
- 42-101 Information Content of a Single Pass of Phase-Delay Data From a Short Baseline Connected Element Interferometer, pp. 26–38.
- 42-103 Deep-Space Navigation With Differentiated Data Types Part I: Differentiated Range Information Content, pp. 47–60.
- 42-103 Deep-Space Navigation With Differentiated Data Types Part II: Differentiated Doppler Information Content, pp. 61–69.
- 42-103 DSN Baseline Coordinate and Station Location Errors Induced by Earth Orientation Errors, pp. 40–46.
- 42-103 Earth-Based Ranging Measurements to a Planetary Radio Beacon: An Approximate Analytic Formulation, pp. 70–86.
See Estefan, J. A.
- 42-103 Navigation and Guidance for a Mars Aerocapture Mission: A System Design Challenge, pp. 27–39.
- Ulvestad, J. S.**
- 42-102 Interagency Telemetry Arraying for Voyager-Neptune Encounter, pp. 91–118.
See Brown, D. W.
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Veruttipong, W.**
- 42-101 Design and Performance Analysis of the DSS-13 Beam Waveguide Antenna, pp. 99–113
W. Imbriale and D. Bathker
- Wallace, R. J.**
- 42-103 Galileo Array Study Team Report, pp. 161–169.
See Layland, J. W.
- Wang, H.**
- 42-102 A High-Speed Distortionless Predictive Image-Compression Scheme, pp. 73–90.
See Cheung, K.-M.
- Wang, R. T.**
- 42-103 Ultrastable Performance of the Superconducting Cavity Maser Oscillator at Short Measuring Times, pp. 21–26.
G. J. Dick
- Weber, W. J.**
- 42-103 A Plan for the Development and Demonstration of Optical Communications for Deep Space, pp. 97–109.
See Lesh, J. R.
- Wee, S.**
- 42-103 GOPEX: A Deep-Space Optical Communications Demonstration With the Galileo Spacecraft, pp. 262–277.
See Wilson, K. E.
- Williams, A.**
- 42-102 Computer Simulations of Ions in Radio Frequency Traps, pp. 10–26.
J. D. Prestage, L. Maleki, J. Djomehri, and E. Harabetian

Wilson, K. E.		42-102	The First Geocenter Estimation Results Using GPS Measurements, pp. 1-9.
42-103	GOPEX: A Deep-Space Optical Communications Demonstration With the Galileo Spacecraft, pp. 262-277.		See Malla, R. P.
	J. R. Lesh, T.-Y. Yan, J. Schwartz, M. D. Rayman, and S. Wee		Yan, T.-Y.
Win, M. Z.		42-103	GOPEX: A Deep-Space Optical Communications Demonstration With the Galileo Spacecraft, pp. 262-277.
42-104	Steady-State Phase Error for a Phase-Locked Loop Subjected to Periodic Doppler Inputs, pp. 68-73.		See Wilson, K. E.
	See Chen, C.-C.		
Wu, S. C.		Yunck, T. P.	
42-101	A Reduced-Dynamic Technique for Precise Orbit Determination, pp. 13-25.	42-101	A Reduced-Dynamic Technique for Precise Orbit Determination, pp. 13-25.
	T. P. Yunck and C. L. Thornton		See Wu, S. C.